

# SEMT COLLECTION TABLE

by angelettiruzza design | 2024



Item code: Semt.33  
(Semt.33.w1.cs2.280)

## Collection

SEMT table takes its place in the collections as a special design that combines YAAZ's understanding of functionality and aesthetics.

SEMT, which offers ideal options for both small and large spaces with four different sizes, is designed for those looking for aesthetics and durability in outdoor spaces. The top of the table is a combination of a natural detail made of teak wood and a modern surface created with cement spray paint technique.

The legs are completely made using cement spray paint technique, offering both durability and a contemporary look.


## Product Dimension

cm / inch

cm / inch



280 110 1/4"



110 43 1/4"

75 29 1/4"

Weight 139 kg / 306,4 lbs

## Product Details

### TEAK Handsome Wood

[more detail visit pg.2](#)



NATURAL TEAK

YAAZ uses no teak of forest origin, but only teak supplied from sustainable Myanmar (Burma) that strictly adhere to the rigorously controlled environment and certified criteria which include replanting trees after harvest.

### CEMENT & COATING CONCRETE Aesthetic Surfaces

[more detail visit pg.3](#)



CREMA

The stone effect paint collection, developed with the cement spraying method, is a remarkable innovation that provides an exceptional alternative for creating aesthetic and durable surfaces in outdoor products. This technique enhances not only the visual appeal but also the functional longevity of items exposed to various environmental conditions. A notable example is our newly introduced table, SEMT, which incorporates this cement spray paint on its surface, achieving a modern, sophisticated look while ensuring resilience and style in outdoor settings.

# SEMT COLLECTION

## TABLE

by angelettiruzza design | 2024

## TEAK

YAAZ is an in-house manufacturer that covers the complete manufacturing process of its outdoor teak furniture and strictly controls every stage.

Every piece of wood is carefully selected and is directed to a specific function according to its strength and look. Precise machinery is used to shape the components and every piece is kiln dried to attain the ideal moisture content before the processing and gluing stages.

YAAZ uses no take of forest origin, but only teak supplied from sustainable Myanmar (Burma) that strictly adhere to the rigorously controlled environment and certified criteria which include replanting trees after harvest.

We select individual full-grown trees and manage the whole manufacturing process carefully, from log to finished product. We deliver our furniture sanded, polished and sealed and we advise you to allow the furniture to age and weather naturally.

Teak is a natural and thus an ever-changing material that can be left outdoors throughout the seasons and it requires little to no Cleaning and Using Instructions. As teak weathers due to its exposure to rain and UV rays from the sun, it will gradually change color regardless of its finish. The "original" or "dark" finish of teak will naturally and invariably fade over time. Left outdoors teak will age naturally and as it weathers as a result of exposure to rain and UV rays of sunlight, it gradually will turn from its honey-gold color to a beautifully soft, silvery-grey patina color and consequently will remain stable for many years.

### Cleaning and Using Instructions

The teak tree is naturally an oily tree and needs to be oiled with teak oil once or twice a year to replenish the surface oils that are lost over time due to weather conditions.

Instead of maintenance oils developed over time, water-based protectors are now used. Varnish and similar chemicals are never used.

The aged and worn surfaces are sanded with 150-180 grit sandpaper and then washed with teak cleaner and left to dry. After the second sanding, the washing process is repeated.

A water-based protective coating is applied using a cloth, covering every part of the product including the hidden areas.

It is left for one day before applying the second coat. The second coat reaches touch dryness after 4 hours in an environment with sufficient airflow and an average temperature of 20 °C.

### TEAK COLOR OPTIONS



Natural Teak



Dark Teak



White Teak

# SEMT COLLECTION

## TABLE

by angelettiruzza design | 2024

## CEMENT & COATING CONCRETE


The stone effect paint collection, developed with the cement spraying method, is a remarkable innovation that provides an exceptional alternative for creating aesthetic and durable surfaces in outdoor products. This technique enhances not only the visual appeal but also the functional longevity of items exposed to various environmental conditions. A notable example is our newly introduced table, SEMT, which incorporates this cement spray paint on its surface, achieving a modern, sophisticated look while ensuring resilience and style in outdoor settings.

### Cleaning and Using Instructions

Over time with exposure to the elements, powder coatings may show signs of weathering such as loss of gloss, chalking and slight colour change. A simple regular clean will minimize the effects of weathering and will remove dirt, grime and other build-up detrimental to all powder coatings. For any particular region or territory, there may be local regulations or local requirements to be met in order to achieve conformance to certain published quality labels or standards. It is the users' responsibility to be aware of such standards. Records of all cleaning schedules and frequencies shall be kept and maintained and made available to YAAZ if requested. Failure to comply with the recommended cleaning schedule will nullify any warranties. Cleaning should start at the time the products are installed, ensuring that construction materials such as concrete, plaster and paint splashes are removed before they have a chance to dry. Failure to remove these materials at this early stage will require the use of aggressive cleaning materials and techniques with potential damage to the powder coated surface. Cement Spray Paint products are best cleaned by regularly washing the coating using warm water and a non-abrasive, pH neutral detergent solution. Surfaces should be rinsed thoroughly after cleaning to remove all residue. All surfaces should be cleaned using a soft cloth or sponge or something harder than a soft natural bristle brush.

If the project is subject to any hazardous unusual environmental factors, or is close to salt water, an estuary or marine environments then YAAZ must be consulted on an individual project basis. Renovation can be required in the case of heavy soiling (due to lack of maintenance). It is then recommended to consult to YAAZ. Usual maintenance can be done using water with mild detergent (pH 5 to 8). If the atmospheric pollution has resulted in heavy soiling of the coating, some stains or marks may require stronger domestic products. In such cases, they should always be diluted, and small inconspicuous test areas cleaned first. In no circumstance should any abrasive cleaner or polish, or any cleaner containing ketones, esters be used.

## CEMENT & COATING CONCRETE COLOR OPTIONS



Agate Grey



Beige Grey



Beige Pink



Black



Cement Grey



Copper Brown



Dark Beige



Pastel Turquoise



Graphite Grey



Grey Blue



Light Beige



Oyster White



Moss Grey



Olive Green



Red Brown



Tele Grey



Terra Brown



Toffee



Bronza



Crema



Misty